Your Guide to Understanding Genetic Conditions

LIPC gene

lipase C, hepatic type

Normal Function

The *LIPC* gene provides instructions for making an enzyme called hepatic lipase. This enzyme is produced by liver cells and released into the bloodstream where it helps with the conversion of fat-transporting molecules called very low-density lipoproteins (VLDLs) and intermediate-density lipoproteins (IDLs) to low-density lipoproteins (LDLs). The enzyme also assists in transporting molecules called high-density lipoproteins (HDLs) that carry cholesterol and triglycerides from the blood to the liver, where the HDLs deposit these fats so they can be redistributed to other tissues or removed from the body. Hepatic lipase helps to keep these fat-transporting molecules in balance by regulating the formation of LDLs and the transport of HDLs. Normally, high levels of HDL (known as "good cholesterol") and low levels of LDL (known as "bad cholesterol") are protective against heart disease.

Health Conditions Related to Genetic Changes

age-related macular degeneration


hepatic lipase deficiency

At least 10 mutations in the *LIPC* gene have been found to cause hepatic lipase deficiency. This condition leads to abnormal levels of various fats (lipids) in the bloodstream, although it is unclear whether these changes impact the risk of developing heart disease. The *LIPC* gene mutations that cause this condition change single protein building blocks (amino acids) in the hepatic lipase enzyme. These mutations prevent the enzyme's release from the liver or decrease its activity in the bloodstream. As a result, VLDLs and IDLs are not efficiently converted into LDLs, and HDLs carrying cholesterol and triglycerides remain in the bloodstream. It is unclear what effect this change in fat levels has on people with hepatic lipase deficiency, as some affected people develop an accumulation of fatty deposits on the artery walls (atherosclerosis) and heart disease in mid-adulthood, while others do not.

Chromosomal Location

Cytogenetic Location: 15q21.3, which is the long (q) arm of chromosome 15 at position 21.3

Molecular Location: base pairs 58,410,754 to 58,568,952 on chromosome 15 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- HDLCQ12
- hepatic lipase
- HL
- HTGL
- lipase C, hepatic
- lipase member C
- lipase, hepatic
- LIPH

Additional Information & Resources

Educational Resources

 Madame Curie Bioscience Database: Lipoprotein-Metabolizing Enzymes in Cholestasis

https://www.ncbi.nlm.nih.gov/books/NBK6420/#A20545

Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28LIPC%5BTIAB%5D%29+OR+%28hepatic+lipase%5BTIAB%5D%29%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1080+days%22%5Bdp%5D

OMIM

 LIPASE, HEPATIC http://omim.org/entry/151670

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology http://atlasgeneticsoncology.org/Genes/GC_LIPC.html
- ClinVar https://www.ncbi.nlm.nih.gov/clinvar?term=LIPC%5Bgene%5D
- HGNC Gene Family: Lipases http://www.genenames.org/cgi-bin/genefamilies/set/464
- HGNC Gene Symbol Report http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/ hgnc_data.php&hgnc_id=6619
- NCBI Gene https://www.ncbi.nlm.nih.gov/gene/3990
- UniProt http://www.uniprot.org/uniprot/P11150

Sources for This Summary

- Chatterjee C, Sparks DL. Hepatic lipase, high density lipoproteins, and hypertriglyceridemia. Am J Pathol. 2011 Apr;178(4):1429-33. doi: 10.1016/j.ajpath.2010.12.050. Epub 2011 Feb 26. Review. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/21406176
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3078429/
- Kobayashi J, Miyashita K, Nakajima K, Mabuchi H. Hepatic Lipase: a Comprehensive View of its Role on Plasma Lipid and Lipoprotein Metabolism. J Atheroscler Thromb. 2015;22(10):1001-11. doi: 10.5551/jat.31617. Epub 2015 Jul 21.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/26194979
- OMIM: LIPASE, HEPATIC http://omim.org/entry/151670
- Tilly-Kiesi M, Schaefer EJ, Knudsen P, Welty FK, Dolnikowski GG, Taskinen MR, Lichtenstein AH. Lipoprotein metabolism in subjects with hepatic lipase deficiency. Metabolism. 2004 Apr;53(4): 520-5.

Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15045702

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/gene/LIPC

Reviewed: December 2015 Published: March 21, 2017 Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services